

# ESCORZO

LATTICE BRICKS COLLECTION

[01]



[02] ED [01] /// UNSWEETENED

[03]



[04] ESCORZO SIENA

[05]

EXTRUDED STONEWARE  
LATTICE BRICKS


[06]

[07]

[08]

[09]

[10]



[11] ESCORZO & RADIO



[12] ANDORRA [TERUEL]

[13]

[14]

[15]

[16]


[17]

[18]

[19]

[20]

ESCORZO BEIGE IN A FACADE  
ED [02] ///  
PRETENDING IT'S REAL




nuet  
IT'S NOT ALL WRITTEN YET



ESCORZO BEIGE



EDITORIAL [02] /// PRETENDING IT'S REALW



ESCORZO BEIGEEDITORIAL [01] /// UNSWEETENED



TECHNICAL SPECIFICATIONS

|                  |                                                              |                                         |
|------------------|--------------------------------------------------------------|-----------------------------------------|
| MATERIAL         | GRES EXTRUIDO<br>EXTRUDED STONWARE                           | FT09G52                                 |
| ARCILLAS   CLAYS | BEIGE, SIENA                                                 |                                         |
| ISO 10545-3      | Absorción de agua<br>Water absorption                        | 3% < E ≤ 6 %                            |
| ISO 10545-8      | Dilatación térmica lineal<br>Linear thermal expansion        | 4.8 × 10 <sup>-6</sup> °C <sup>-1</sup> |
| ISO 10545-9      | Resistencia al choque térmico<br>Resistance to thermal shock | Garantizado<br>Guaranteed               |
| ISO 10545-12     | Resistencia a la helada<br>Frost resistance                  | Garantizado<br>Guaranteed               |
| ISO 10545-13     | Resistencia a los agentes químicos<br>Chemical resistance    | MIN Clase B<br>MIN. Class B.            |
| UNE-EN 13501-1   | Reacción al fuego<br>Reaction to fire                        | A1                                      |

NEWS ABOUT THE COLLECTION | <https://nuetceramics.com/en/coleccion/escorzo/>



NUET PROJECTS | <https://nuetceramics.com/en/projects/>



CLAYS

ESCORZO BEIGE



ESCORZO SIENA




SIZES & USE

DIMENSIONS: 15X15X10 cm [7cm depth available]  
5.91X5.91X3.94 in [2.76 in available]

PIECES/M² [W/O JOINTS] 44.44  
PIECES/FT² [W/O JOINTS] 4.13

USE: IN & OUT

GEOMETRY



GLAZED OPTIONS



RAL  
1013



RAL  
5002



RAL  
7023



RAL  
7035



RAL  
8019



RAL  
9005

\*MORE GLAZED OPTIONS AVAILABLE ON REQUEST

PACKING


| KG/PIECE<br>LB/PIECE | PIECES/TRAY | SIZE/TRAY                            | KG/TRAY<br>LB/TRAY  | PIECES/PALLET | KG/PALLET<br>LB/PALLET |
|----------------------|-------------|--------------------------------------|---------------------|---------------|------------------------|
| 2.250 kg<br>4.96 lb  | 6           | 517X306X95 mm<br>20.35X12.05X3.74 in | 13.5 kg<br>29.76 lb | 360           | 810 kg<br>1,785.74 lb  |

[01]



[02] 15x15

[03]



[04] RADIO


[06]

[07]



[08] ESCORZO

[09]



[10] CIRCULOS



[11] CRUCES ABIERTAS



[12] CRUCES CERRADAS

[13]

[14]


[15]

[16]

[17]

[18]

[19]



[20] DOS PIEZAS